Weed Technology, Volume 12
Author Index

Ackley, J. A., 458
Akanda, R. A., 733
Anderson, D. D., 74
Anderson, R. L., 262, 478, 531
Arsenovic, M., 215
Askew, S. D., 103, 504

Ball, D. J., 690
Barnes, P. L., 646
Barrentine, W. L., 23, 157, 166
Batts, R. B., 134, 554
Beck, J. L., 308
Beckie, H. J., 507
Bellinder, R. R., 215
Beran, D. D., 602
Bewick, T. A., 230
Bingham, S. W., 569
Black, A. L., 531
Blackshaw, R. E., 64, 421, 590, 610
Blank, R. R., 402
Bottoms, R. M., 363
Bouw, W. J., 258
Boyer, J. E., 315
Braverman, M. P., 209
Brown, J., 712
Brown, P. D., 712
Bryson, C. T., 410
Burnside, O. C., 174
Byrd, J. D., Jr., 78, 88

Cardina, J., 522
Careau, D., 446
Carpinelli, M. F., 353
Chandler, J. M., 19, 623, 677
Chandler, K., 660, 670
Chandran, R. S., 542, 569
Charudattan, R., 37
Chilf, T., 115
Corkern, C. B., 205
Crawford, S. H., 69
Culpepper, A. S., 554
Currey, W. L., 720

Dakshini, K. M. M., 190
DeFelice, M. S., 32
Derr, J. F., 542, 569
Devalerio, J. T., 37
Dhanapal, G. N., 652
Dieleman, A., 7
Dilbeck, J. S., 32
DiTomaso, J. M., 326
Doohan, D. J., 41
Dozier, H., 737
Duncan, K. W., 337
Durgan, B. R., 223

Eberlein, C. V., 712
Eberwine, J. W., Jr., 121
Ellis, J. M., 157, 166
Ellis, N. E., 53
Entz, T., 610

Fagerness, M. J., 436
Farnham, M. W., 14
Felton, W. L., 638
Feng, P. C. C., 300
Ferrell, M. A., 374
Firbank, L. G., 53
Forcella, F., 223
Fortier, J.-J., 446
Fox, A. M., 410
Foy, C. L., 108, 190

Gade, A. E., 374
Gaffney, J. F., 737
Gao, Z., 515
Ghosheh, H. Z., 623
Gimenez, A. E., 134
Golan, S., 115
Goldwasser, Y., 108, 115
Gonese, J. U., 235
Graham, G. C., 27
Green, J. M., 474
Griffin, J. L., 205, 454, 617
Guttieri, M. J., 712

Hagood, E. S., Jr., 121
Hall, D. W., 720
Hamill, A. S., 670
Hamman, W. M., 421
Hanks, J. E., 308, 441
Hanson, G. E., 638
Harker, K. N., 590
Harrison, H. F., Jr., 14
Hart, S. E., 179
Hershenhorn, J., 108, 115
Herzlinger, G., 115
Hill, M. O., 53
Hines, T. E., 458, 575
Holshouser, D. L., 97
Horak, M. J., 315, 515

Inderjit, 190
Ivany, J. A., 41

Jacobs, J. S., 353
Janssen, K. A., 646
Jennings, K. M., 554
Jensen, K. I. N., 426
Johnson, B. J., 1
Johnson, E. R. R. L., 737
Johnson, G. A., 7
Johnson, M. M., 174
Johnson, W. G., 32
Jones, E. J., 441
Jordan, D. L., 69, 205, 254, 537

Kapusta, G., 151, 684
Katranis, N., 145, 484
Kells, J. J., 47, 248, 281, 631
Kendig, J. A., 32, 537
Kirkland, K. J., 507
Kirkwyland, J. J., 215
Kleifeld, Y., 108, 115
Klingaman, T. D., 463
Knezevic, S. Z., 670
Koch, D. W., 374, 391
Krause, N. H., 174
Krausz, R. F., 151, 684
Krishnan, G., 97

Lange, C. L., 27
Laroche, F. B., 726
Lavan, Y., 115
Lemieux, C., 446
Leroux, G. D., 446
Lindquist, J. L., 7
Linscombe, S. D., 254
Lloyd, R. W., 315
Loux, M. M., 522
Lybecker, D. W., 243
Lym, R. G., 367, 699

Mack, R. E., 441
Maddux, L. D., 515
Mallory-Smith, C., 322
Manley, B. S., 575
Martin, A. R., 74
Masters, R. A., 381, 602
Matthews, J. L., 684
Matysiak, R., 585
McCauley, G. N., 677
McDaniel, K. C., 337, 345
McDonald, S. K., 737
Medlin, C., 286
Messersmith, C. G., 764
Miller, B. R., 699
Miller, D. K., 69, 454, 617
Mislevy, P., 733
Mitich, L. W., 194, 414, 560, 761
Molin, W. T., 564
Morales-Payan, J. P., 230
Morra, M. J., 712
Morrison, K. D., 426
Mortensen, D. A., 7
Mullahey, J. J., 719, 733
Mullin, B. H., 397
Murison, R. D., 638

Nalewaja, J. D., 585
Nash, P. G., 638
Nelson, K. A., 137, 293
Newsom, L. J., 268
Ngouajio, M., 446
Nissen, S. J., 97, 381
Noldin, J. A., 677
Norris, R. F., 198
Novosel, K. M., 248

Oard, J. H., 209
Olson, B. L. S., 646
O'Neal, W. B., 463
Orsenigo, J. R., 720
O'Sullivan, J., 258

Palmquist, D. E., 402
Patterson, D. T., 275
Patterson, M. G., 185
Peeper, T. F., 286

Penner, D., 436
Peterson, D. E., 315, 515
Pitelli, R. A., 37
Plakine, D., 108, 115
Powell, G. E., 406
Praczyk, T., 585
Price, W. J., 690
Prostko, E. P., 19

Rankins, A., Jr., 78, 88
Ransom, C. V., 631
Ratliff, R. L., 268
Reekie, E. G., 426
Regehr, D. L., 646
Renner, K. A., 137, 248, 281, 293, 406
Reynolds, D. B., 205
Richard, E. P., Jr., 128, 454, 617
Richburg, J. S., III, 707
Ristau, E. A., 174
Rivas-Pantoja, F., 602
Roeth, F. W., 74
Roskamp, G. K., 179
Ruscoe, J. T., 78
Ryerse, J. S., 300

Sammons, R. D., 300
Sanders, D. E., 254
Sankula, S., 209
Santos, B. M., 230
Schabenberger, O., 281
Schmenk, R., 47
Schroeder, J., 595
Schwarz, A. E., 744
Schweizer, E. E., 243, 531, 548
Scott, L. J., 27
Scott, R., 23
Scott, R. C., 268, 463
Seifert, S., 470
Semach, G., 610
Shaner, D. L., 527
Shaw, D. R., 23, 78, 88, 103, 157, 166, 268, 463, 504
Sheets, R. A., 174
Sheley, R. L., 353
Shilling, D. G., 733, 737
Shinn, S. L., 690
Shrestha, A., 660
Sij, J. W., Jr., 677
Sikkema, P. H., 670
Singh, B. K., 527
Snipes, C. E., 470
Solie, J. B., 286
Spandl, E., 223, 248
Stall, W. M., 230
Stiegler, J. H., 286
Street, J. E., 103, 504
Struik, P. C., 652
Swanton, C. J., 660, 670
Sweat, J. K., 315
Swetnam, R. D., 53

Tanaka, D. L., 531
Tardif, F., 670
Taylor, J. P., 345
ter Borg, S. J., 652
Thill, D. D., 690
Thomas, R. J., 258
Thomas, W., 41
Tolin, S. A., 121
Treadaway, J. A., 185

Vangessel, M. J., 548
Vidrine, P. R., 205
Vizantinopoulos, S., 145, 484
Vyn, T. J., 660

Walker, R. H., 707
Wallace, R. W., 215
Warren, G. F., 752
Weber, J. B., 235
Webster, T. M., 522
Wehtje, G. R., 185, 707
Weisberg, S., 174
Westra, P., 243, 548
Westwood, J. H., 108
White, P. S., 744
White, R. P., 41
Whitson, T. D., 325, 363, 374, 391
Wicks, G. A., 638
Wiens, M. J., 174
Wilcut, J. W., 134
Wiles, L. J., 548
Williams, B. J., 254
Wills, G. D., 441, 491
Wilson, H. P., 458, 575
Wilson, R. G., 548
Wyse-Pester, D. Y., 7

Yeates, D. K., 27
York, A. C., 134, 554
Young, J. A., 402

Weed Technology, Volume 12 Subject Index

Absorption, 699
ABUTH, 7, 47, 97, 137, 235, 293, 300, 441, 670, 684
Abutilon theophrasti, 7, 441, 684
Abutilon theophrasti Medicus, 684
Abutilon theophrasti Medik., 47, 97, 137, 235, 293, 300, 441, 670
Acalypha ostryifolia Riddell, 515
Acanthosperum hispidium DC, 235
AC, 263, 222, 677
ACC, 263, 222, 103, 602
ACCOS, 515
Acetochlor, 315, 463
Acifluorfen, 293, 315, 515, 660
ACNHI, 235
Acroptilon repens (L.) DC, 363
Activated charcoal, 115
Adjuvants, 64
AEGCY, 262, 478
Aegilops cylindrica Host, 262, 478
Aerial application, 337
Agral 90, 64
Agropyron cristatum (L.) Gaertn. X *Agropyron desertorum* (Gaertn.) 'Hycrest,' 391
Agrostis palustris Huds., 436
Air assist, 185
Alachlor, 47, 103, 315, 522, 677
ALAPE, 744
Allelochemicals, 712
Allelopathy, 97, 712
ALOMY, 484
Alopecurus myosuroides Huds., 484
ALS, 474
ALS-inhibitor resistance, 575
Alternaria cassiae Jurair and Khan, 37
AMAAL, 145, 315
AMACH, 575
AMALI, 145
AMAPA, 315
Amaranthus albus L., 145, 315
Amaranthus hybridus L., 575
Amaranthus lividus L., 145
Amaranthus palmeri S. Wats., 315
Amaranthus retroflexus L., 64, 97, 137, 145, 151, 166, 215, 235, 243, 293, 315, 406, 638, 670
Amaranthus rudis Sauer, 315, 684
Amaranthus spp., 7
AMARE, 64, 97, 137, 145, 151, 166, 215, 235, 243, 293, 315, 406, 531, 638, 670
AMATA, 315, 684
AMBEL, 137, 235, 293, 458, 522, 531, 660, 684
Ambrosia artemisiifolia L., 137, 235, 293, 458, 660, 684
Ambrosia trifida L., 522
AMBTR, 522
4-amino-6-(1,1-dimethylethyl)-3-(methylthio)-1,2,4-triazin-5(4*H*)-one, 32, 128, 406, 454, 575, 610, 660, 684
2-amino-4-(hydroxymethylphosphinyl)butanoic acid, 157, 209
4-amino-3,5,6-trichloro-2-pyridinecarboxylic acid, 353, 363, 367, 602
Ammonia assay, 209
Ammonium nitrate, 585
AMOAR, 744
Andropogon gerardii Vitman 'Pawnee,' 381
Androsace occidentalis Lunell, 531
Annual bluegrass, 436
Annual grass control in rangeland, 391
Annual sowthistle, 531

ANOGE, 381
Antagonism, 23, 205, 248, 554
Aphis chloris, 426
Apocynum cannabinum L., 631
APPCA, 631
Application technology, 308
Application timing, 504
Arsenal, 337
Asiatic hawksbeard, 720
Atrazine, 47, 128, 151, 454, 522, 595, 638, 646
AVEFA, 64, 507, 531
Avena fatua L., 64, 507

Bahiagrass, 720, 737
BAR gene, 209
Barbarea vulgaris R. Br., 542
Barley, 64, 262, 690
Barnyardgrass, 23, 69, 235, 248, 268, 406, 441, 446, 537, 638, 660, 677
BARVU, 542
Bell pepper, 230, 458
Benefin, 1
Bensulfuron, 108, 595
Bensulide, 1
Bentazon, 134, 179, 215, 474, 660
Bermudagrass, 1, 128, 707
Bermudagrass sprigging rate, 707
Big bluestem, 381
Bioactivity, 281
Bioavailability, 281
Biocontrol, 37, 363, 367
Biofumigants, 712
Bioherbicide, 37
Biological control, 397
Biological diversity, 381
Biomass, 590
Biotype(s), 27, 491
2-[[[[[4,6-bis(difluoromethoxy)-2-pyrimidinyl]amino]carbonyl]amino]sulfonyl] benzoic acid, 74, 108, 115, 575, 631
Black nightshade, 458
Black willow, 345
Blackfaced leafhopper, 121
Blackgrass, 484
Bolted, 699
Bothrichloa ischaemum (L.) Kengi, 286
Brachiaria mutica (Forssk.) Stapf, 720
Brachiaria platyphylla, 134, 268, 463
Brachiaria platyphylla (Griseb.) Nash, 23, 134, 268, 463
BRAPP, 23, 134, 268, 463
Brassica harta Moench. 'Martigena,' 97
Brassica harta Moench. 'Salvo,' 97
Brassica juncea (L.) 'Greenwave,' 97
Brassica napus (L.) 'Jupiter,' 97
Brassica napus (L.) 'Legend,' 690
Brassica oleracea L. var. *italica,* 14
Brassica rapa L. 'Tobin,' 64
Brazilian pepper tree, 720
Bristly starbur, 235
Broadleaf signalgrass, 23, 134, 268, 463
Broadleaf weeds, 507
Broccoli, 14
Bromoxynil, 157, 185, 205, 322, 554
Bromus inermis Leyss. 'Rebound,' 367
Bromus tectorum L., 262, 391, 421, 478, 690
BROTE, 262, 391, 421, 478, 690, 744
Brown mustard, 97
Buckhorn plantain, 542, 569

Cabbage palm, 720
Canada thistle, 699
Cannibus sativa L., 720
Canola, 64, 690
CAPBP, 97
Capsella bursa-pastoris (L.) Medikus., 97
Capsicum annuum L., 230
Capsicum frutescens L., 458
Capsicum frutescens 'Camelot,' 458
Capsicum frutescens 'Jupiter,' 458
Capsicum frutescens 'Keystone RG3,' 458
Capsicum frutescens 'Memphis,' 458
Carrotwood, 720
Carryover, 281
CASOB, 37, 157, 166
Cassia obtusifolia, 37
CCHEC, 707
Cenchrus echinatus L., 707
CENDI, 353
CENMA, 353
CENRE, 363
Centaurea diffusa Lam., 353
Centaurea maculosa Lam., 353
CGA184927, 610
CGA-152005, 151, 575, 631
CGA-248757, 137
CGA-277476 acid, 137, 293
Chamber bitter, 720
CHEAL, 64, 137, 151, 215, 235, 243, 293, 406, 446, 458, 522, 531, 660, 670
Chemical, 363, 367, 397
Chenopodium album L., 64, 137, 151, 215, 235, 293, 406, 446, 458, 531, 660, 670
Chisel plowed, 223
Chisel-disk, 646
Chlorimuron, 32, 115, 134, 235, 248, 293, 474, 575, 595
2-chloro-6-[(4,6-dimethoxy-2-pyrimidinyl)thio]benzoic acid, 185, 575
5-chloro-3-(1,1-dimethylethyl)-6-methyl-2,4(1*H*,3*H*)-pyrimidinedione, 322
3-chloro-2-[[(5-ethoxy-7-fluoro[1,2,4] triazolo[1,5-*c*]pyrimidin-2yl)sulfonyl] amino] benzoic acid, 684
3-chloro-2[[(-5-ethoxy-7-fluoro[1,2,4] triazolo-[1,5*c*]-pyrimidin-2yl)sulfonyl] amino] benzoic acid, 293
2-(2-chloroethoxy)-*N*-[[4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]-benzenesulfonamide, 108, 115
2-chloro-1-(3-ethoxy-4-nitrophenoxy)-4-(trifluoromethyl)benzene, 14, 157
[2-chloro-4-fluoro-5-(1,3,4,5,6,7-hexahydro-1,3-dioxo-2*H*-isoindol-2-yl)phenoxy] acetic acid, 315, 575
2-[[[[(4-chloro-6-methoxy-2-pyrimidinyl) amino]carbonyl]amino]sulfonyl]benzoic acid, 32, 115, 134, 235, 248, 293, 474, 575, 595
2-chloro-*N*-(2,6-diethylphenyl)-*N*-(methoxymethyl)acetamide, 47, 103, 522, 677
2-chloro-*N*-(2,4-dimethyl-3-thienyl)-*N*-(2-methoxy-1-methylethyl)acetamide, 23, 268, 463, 677
2-chloro-*N*-(ethoxymethyl)-*N*-2-ethyl-6-methylpheynl)acetamide, 463
2-chloro-*N*-(2-ethyl-6-methylphenyl)-*N*-(2-methoxy-1-methylethyl)acetamide, 32, 103, 215, 248, 463, 623, 677
6-chloro-*N*-ethyl-*N'*-(1-methylethyl)-1,3,5-triazine-2,4-diamine, 47, 128, 145, 446, 522, 595, 638, 646
2-chloro-*N*-[[4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]benzene-sulfonamide, 108, 115, 402, 474
2-[(2-chlorophenyl)methyl]-4,4-dimethyl-3-isoxazolidinone, 103, 235, 458, 537
2-[4-[(6-chloro-2-quinoxalinyl)oxy] phenoxy]propanoic acid, 610
(±)-2-[4-[(6-chloro-2-quinoxalinyl)oxy] phenoxy]propanoic acid, 137, 293
5-[2-chloro-4-(trifluoromethyl)phenoxy]-*N*-(methylsulfonyl)-2-nitrobenzamide, 134, 215, 515
5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoic acid, 293, 515, 660
Chlorsulfuron, 108, 115, 402, 474
Chromolaena odorata (L.) King and Robinson, 27
Chrysolina hyperici (Forester) (Coleoptera: Chrysomelidea), 426
CIRAR, 522, 699
Cirsium arvense (L.) Scop., 699
Classical biological control, 426
Clethodim, 103, 185, 205, 293, 554, 610
Clipping collection, 436
Clomazone, 103, 235, 458, 537, 677
Clopyralid, 363, 699
Cloransulam, 684
Cloransulam-methyl, 293
CNISA, 720
Cogongrass, 720, 737
Cold stratification, 515
Cole crops, 14
Colletotrichum gloeosporioides (Penz.) Penz, and Sacc., 426
Common cocklebur, 32, 157, 166, 684
Common groundsel, 322
Common lambsquarters, 64, 137, 151, 215, 235, 293, 406, 446, 458, 531, 660, 670
Common ragweed, 137, 235, 293, 458, 660, 684
Common St. Johnswort, 426
Common waterhemp, 315, 684
Comparative product performance trials, 215
Competition, 7, 37, 47, 174, 374
Competition for nutrients, 230
Competitive advantage, 88
Competitive indices, 88
Competitive perennial grasses, 374
Complex hybrid of *Saccharum* spp. 'LCP 82–89,' 128
Conyza canadensis (L.) Cronq., 23, 638
Cool season turfgrass, 569
Cool-season grasses, 381, 391, 602
Corn, 7, 41, 47, 74, 121, 145, 151, 243, 248,

262, 281, 446, 474, 522, 527, 623, 631, 670, 699
Corn hybrid tolerance, 41
Corn reproductive parameter, 623
Corn speedwell, 569
Cotton, 205, 470, 554, 623
Cottonwood, 345
Cover crops, 660, 712
Creeping bentgrass, 436
Creeping red fescue, 436
Crested wheatgrass, 391
Crop injury, 254
Crop oil concentrate, 441, 617
Crop rotation, 281
Crop safety, 474
Crowfootgrass, 235
Cucumber, 595
Cucumis melo L. var. *dudaim* Naud., 19
Cucumis sativus L., 595
Cultivation, 215
Cultural, 363, 367, 397
Cultural control, 337
Cultural practices, 478
Cultural strategies, 531
CUMMD, 19
Cupaniopsis anacardioides (A. Rich.) Radlk., 720
Curly dock, 23
5-cyclopropyl-4-(2-methylsulphonyl-4-trifluoromethyl-benzoyl)isoxazole, 670
CYNDA, 128, 707
CYNDA 'Tifway,' 1, 707
Cynodon dactylon (L.) Pers., 128
Cynodon dactylon (L.) Pers.'Tifton 78,' 707
Cynodon transvaalensis Burtt-Davey, 1
CYNTR × *C. dactylon* (L.) Pers., 1
Cyperus esculentus L., 293, 684
Cyperus rotundus L., 230, 275, 308, 491
CYPES, 293, 522, 684
CYPRO, 230, 275, 308, 491

2,4-D, 151, 337, 363, 367, 402, 522, 602, 699
2,4-D amine, 595
Dactyloctenium aegyptium (L.) Willd., 235
Dandelion, 569, 720
DATST, 151, 235, 458
Datura stramonium L., 151, 235, 458
Decision aid, 78
Demography, 426
Detectspray, 638
Devil's-claw, 19
3,5-dibromo-4-hydroxybenzonitrile, 185, 205, 322, 554
Dicamba, 151, 367, 631
3-dichloro acetyl-5-(2-furanyl)-2,2-dimethyl-oxazolidine, 248
3,6-dichloro-2-methoxybenzoic acid, 151, 367, 631
3-[2,4-dichloro-5-(1-methylethoxy)phenyl]-5-(1,1-dimethylethyl)-1,3,4-oxadiazol-2-(3*H*)-one, 542, 569
2,2-dichloro-*N*-*N*-di-2-propenylacetamide, 623
(2,4-dichlorophenoxy)acetic acid, 151, 363, 367, 402, 522, 602, 617, 631, 699
3,6-dichloro-2-pyridinecarboxylic acid, 363, 699
3,7-dichloro-8-quinolinecarboxylic acid, 69, 537, 602
Diffuse knapweed, 353
Digitaria sanguinalis, 32, 134
Digitaria sanguinalis (L.) Scop., 97, 134, 151, 185, 235, 293, 554, 585, 707
DIGSA, 32, 97, 134, 151, 185, 235, 293, 522, 554, 585, 707
2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-5-ethyl-3-pyridinecarboxylic acid, 32, 103, 134, 137, 151, 235, 281, 441, 463, 575, 652, 660, 667
(±)-2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-5-ethyl-3-pyridinecarboxylic acid, 268, 602
2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-5-(methoxymethyl)-3-pyridinecarboxylic acid, 137
(±)-2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-5-methyl-3-pyridinecarboxylic acid, 103, 677, 737
1,1′-dimethyl-4,4′-bipyridinium ion, 157, 391
(±)-2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-3-pyridinecarboxylic acid, 128, 337, 381
2-[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1*H*-imidazol-2-yl]-3-quinolinecarboxylic acid, 235, 281, 527, 575, 652, 677, 684
2-[[[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-methyl]benzoic acid, 108, 595
2-[[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-*N,N*-dimethyl-3-pyridinecarboxamide, 41, 74, 108, 121, 151, 575, 585, 623, 631
2-[[[[(4,6-dimethyl-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]benzoic acid, 128, 137, 381, 454
Dimethylamine salt of (2,4-dichlorophnoxy)acetic acid, 595
2,6-dinitro-*N,N*-dipropyl-4-(trifluoromethyl)benzenamine, 103, 215, 315, 575, 677
Discoloration, 436
Disease, 426
Dithiopyr, 1
Diuron, 707
Diuron application methods, 707
DNA sequence, 27
Downy brome, 262, 391, 421, 478, 690
Drift, 185
Dry bean seed yield, 174
DRYCO, 720
Drymaria cordata (L.) Willd. ex Roem. and Schult., 720
DTTAE, 235

Early maturing soybean, 166
Eastern black nightshade, 151, 293
ECHCG, 23, 69, 235, 243, 268, 406, 441, 446, 463, 537, 638, 660, 677
ECHCO, 677
ECHCR, 248
Echinochloa colona (L.), 677
Echinochloa crus-galli L., 248, 268, 441, 463
Echinochloa crus-galli (L.) Beauv., 23, 69, 235, 268, 406, 441, 446, 537, 638, 660, 677
Ecofallow, 522
Economical evaluation, 623
(*E,E*)-2-[1-[[[3-chloro-2-propenyl]oxy]imino]propyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one, 610
(*E,E*)-(±)-2-[1-[[(3-chloro-2-propenyl)oxy]imino]propyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexen-1-one, 103, 185, 205, 293, 554
Efficacy, 88
Egyptian broomrape, 108, 115
EICCR, 720, 744
Eichhornia crassipes (Mart.) Solms, 720
EL-107, 569
ELEIN, 235, 268
Eleusine indica, 268
Eleusine indica (L.) Gaertn., 235, 268
ELGAN, 744
Elymus lanceolatus (Scribn. and Smith) Gould 'Critana,' 391
Elymus lanceolatus (Scribn. and J. G. Smith) Gould 'Sodar,' 391
Elymus trachycaulus ssp. *trachycaulus* (Link) Gould ex Shinners 'Pryor,' 367
Elytrigia intermedia (Host) Nevski 'Manska,' 367
Emergence, 590
EPHES, 367, 374, 602
EPHFS, 381
EPHHT, 531
EPHMA, 157, 542
EPTC, 215, 623, 652
ERACA, 638
ERICA, 23, 522, 638
EROCI, 64, 590
Erodium cicutarium (L.) L'Her Ex Ait., 64, 590
Estimated economic return, 69
2-[1-(ethoxyimino)butyl]-5-[2-(ethylthio)propyl]-3-hydroxy-2-cyclohexan-1-one, 268, 463, 527, 554, 610, 677
2-[1-(ethoxyimino)propyl]-3-hydroxy-5-(2,4,6-trimethylphenyl)-2-cyclohex-1-enone, 610
(±)-2-ethoxy-1-methyl-2-oxoethyl-5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate, 515, 575
1-(2-ethylsulfonylimidazol[1,2-*a*]pyridin-3-ylsulfonyl)-3-(4,6-dimethoxypyrimidin-2-yl)urea, 421, 610, 690
Euphorbia esula L., 367, 374, 381, 602
Euphorbia maculata L., 157, 542
EUPOD, 27
Exotic plant species, 744
Exotic weed, 733

Fairy candelabra, 531
Fall application, 522
Fall panicum, 151
Fenoxaprop-P, 554, 610
Ferel rye, 478
Festuca arundinacea Schreb., 436
Festuca rubra L., 436
First fruiting position, 470
Flaming, 470
Flax, 610
Florida betony, 720
Florida pusley, 235
Fluazifop-P, 205, 268, 463, 554, 610, 623
Flumetsulam, 248
Flumiclorac, 315, 575
Fluometuron, 19, 623
Fomesafen, 134, 215, 315, 515
Forbs, 602
Formulation, 300
Foxtail barley, 610
Foxtail spp., 235
Frequency, 243

Galinsoga ciliata (Raf) Blake, 215
Gall midge, 367
GASCI, 215
Genetics, 27
Germination, 515
Giant foxtail, 32, 248, 268, 293, 522, 684
Giant ragweed, 522
Glucosinolate, 97
Glufosinate, 157, 209
Glycine max L., 179, 527
Glycine max (L.) Merr., 7, 88, 97, 137, 235, 248, 293, 315, 441, 504, 515, 575, 677, 699
Glycine max (L.) Merr. 'Asgrow 5560,' 32
Glycine max (L.) Merr. 'Bergmann-Taylor 399C,' 684
Glycine max (L.) Merr. 'Deltapine 3588,' 308
Glycine max (L.) Merr. 'Hartz 4464,' 103
Glycine max (L.) Merr. 'Hartz 5566RR,' 23
Glycine max (L.) Merr. 'Jupiter,' 37
Glycine max (L.) Merr. 'NK 4260,' 157, 166
Glycine max (L.) Merr. 'Northrup King 5960,' 78, 268
Glycine max (L.) Merr. 'Northrup King S 20–20,' 660
Glycine max (L.) Merr. 'Pioneer 9381,' 32
Glycine max (L.) Merr. 'Pioneer 9443,' 32
Glycine max (L.) Merr. 'Terra Vig 5452,' 78, 103
Glyphosate, 23, 32, 108, 134, 157, 286, 300, 308, 337, 367, 381, 391, 402, 504, 522, 527, 617, 623, 638, 652, 660, 699, 726, 737
Goosegrass, 235, 268
GOSHI, 19, 205
Gossypium hirsutum L. 'DES 119,' 470
Gossypium hirsutum L. 'DPL 50,' 470
Gossypium hirsutum L. 'Stoneville 825,' 623
Gossypium hirsutum L. 'Stoneville BXN 57,' 205, 554
Grain sorghum, 646, 690
Graminella nigrifrons (Forbes), 121
Grassland restoration, 381
Grazing, 367
Green foxtail, 64, 97, 223, 235, 243, 268, 507, 531, 638, 660
Ground application, 337
Growing degree days, 515
Growth inhibition, 436
Growth stage, 610
Guineagrass, 720

Hairy galinsoga, 215
Handweeding, 652
Hard red winter wheat, 286
Harvest aid, 157
Helianthus annuus L., 531
Hemp dogbane, 631
Hemp sesbania, 157, 166
Henbit, 569
Herbicide antagonism, 293
Herbicide application, 484
Herbicide bioactivity, 235
Herbicide breakdown, 569
Herbicide efficacy, 64, 421
Herbicide inactivation, 235
Herbicide injury, 179, 258
Herbicide interaction, 179, 268
Herbicide mixtures, 134
Herbicide persistence, 454
Herbicide reduction, 215
Herbicide residue, 454
Herbicide resistance, 74, 322, 575
Herbicide runoff, 646
Herbicide savings, 638
Herbicide timing, 421, 610
Herbicide tolerance, 14, 254
Herbicide-resistant crops, 209
Herbicides, 174, 527
Herbicide-tolerant crops, 554
Herbivory, 426
Hexazinone, 726
Hoeing, 484
Hophornbeam copperleaf, 515
Hordeum jubatum L., 610
Hordeum vulgare L., 262
Hordeum vulgare L. 'Baronesse,' 690
Hordeum vulgare L. 'Galt,' 64
HORJU, 610
Horseweed, 23, 638
Hydrilla, 720
Hydrilla verticillata (L. f.) Royle, 720
HYLLI, 720
Hypericum perforatum L., 426
HYPPE, 426

ICIA0604, 610
Imazamox, 64, 137, 315
Imazapyr, 128, 337, 345, 381, 726, 737
Imazaquin, 235, 281, 315, 527, 575, 652, 677, 684
Imazethapyr, 32, 103, 134, 137, 151, 235, 268, 281, 315, 441, 463, 575, 652, 660, 677
Imidazolinone herbicides, 602
Imidazolinone resistance, 575
IMPCY, 720, 737
Imperata cylindrica (L.) Beauv., 720
Imperata cylindrica (L.) Beauv. var. *major*, 737
Indiangrass, 381
Inheritance, 209
Integrated control, 426
Integrated pest management, 7, 367, 397
Integrated weed management, 37, 353, 660, 670
Interaction(s), 205, 248, 293
Interference, 47
Intermittent spraying, 308
Interspecific hybrids of *Saccharum* 'LCP 82—89,' 454
Invasion, 27
Invasive plant, 733
Invasive weed, 326
IPM, 363
IPOHE, 32, 166, 268, 308, 463, 684
IPOLA, 157, 308, 441
Ipomoea hederacea, 684
Ipomoea hederacea L., 32, 268, 308, 463
Ipomoea hederacea (L.) Jacq., 166, 268, 684
Ipomoea lacunosa L., 157, 308, 441
2-(4-isopropyl-4-methyl-5-oxo-2-imidazolin-2-yl)-5-(methoxymethyl)nicotinic acid, 64
Isothiocyanates, 97
Isoxaben, 542, 569
Itchgrass, 720
ITS1, 27
Ivyleaf morningglory, 32, 166, 268, 684

Jamaica feverplant, 720
Jamaican nightshade, 720
Jimsonweed, 151, 235, 458
Johnsongrass, 23, 121, 128, 205, 268, 617, 623
Johnsongrass aboveground fresh weight, 623
Jointed goatgrass, 262, 478
Junglerice, 677

KCHSC, 97, 243, 531, 631, 638
Kentucky bluegrass, 436
Kidney bean, 174
Kochia, 97, 531, 638
Kochia scoparia (L.) Schrad., 97, 531, 638

Lactofen, 315, 515, 575
LAMAM, 569
Lamium amplexicaule L., 569
Large crabgrass, 32, 97, 134, 151, 185, 235, 293, 554, 585, 707
Leaf area, 446
Leaf cover, 446
Leafy spurge, 367, 374, 381, 602
Lentil, 690
Lens culinaris Medic. 'Redchief,' 690
Lepidium latifolium L., 402
LEPLA, 402
Linum usitatissimum L. 'Flanders', 610
Livid amaranth, 145
Lolium perenne L., 436
LONJA, 744
Low dose response, 595
Low volume spraying, 185

Lycopersicon esculentum Mill., 108, 115
Lythrum salicaria L., 397
LYTSA, 397, 744

Machine vision, 446
Maize, 474
Maize chlorotic dwarf virus, 121
Maize dwarf mosaic virus, 121
Management, 53
Marijuana, 720
MCDV, 121
MDMV, 121
Mechanical control, 337
Mechanical weed control, 548
Melaleuca, 720, 726
Melaleuca quinquenervia (Cav.) Blake, 720, 726
Melilotus alba Medicus, 569
Merge, 64
Metabolism, 474
Methyl bromide alternatives, 275
Methyl 3-chloro-5-(4,6-dimethoxypryimidin-2-ylcarbamoylsulfamoyl)-1-methylpyrazole-4-carboxylate, 575
Methyl [[2-chloro-4-fluoro-5-[(tetrahydro-3-oxo-1*H*, 3*H*-[1,3,4]thiadiazolo[3,4-a]pyridazin-1-ylidene)amino]phenyl]thio]acetate, 137
Methyl 2-(difluoromethyl)-5–4,5-dihydro-2-thiazol)-4-(2-methylpropyl)-4-(2-methylpropyl-6-(trifluoromethyl)-3-pyridinecarboxylate, 128
5-[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonylaminosulfonyl]-3-chloro-1-methyl-5-[[(4,6-dimethoxy-2-pyrimidinyl)-amino]carbonylaminosulfonyl]-3-chloro-1-methylpyrazole-1-methyl-1-*H*-pyra-zole-4-carboxy-late, 248
Methyl 5-[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonylaminosulfonyl]-3-chloro-1-methyl-1-H-pyrazole-4-carboxylate, 151
Methyl Methylated seed oil, 441, 617
2-[[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)amino]carbonyl]amino]sulfonyl]benzoic acid, 595
3-[[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl) amino]carbonyl]amino]sulfonyl-2-thiophenecarboxylic acid, 108, 179, 293, 474, 575, 595
2-[[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl)methylamino]carbonyl]amino]sulfonyl]benzoic acid, 115
1-(4-methoxy-6-methyl-triazin-2-yl)-3-[2-(3,3,3-trifluropropyl)-pheynlsulfonyl]-urea, 151, 575, 631
3-(1-methylethyl)-(1*H*)-2,1,3-benzothiadiazin-4(3*H*)-one 2,2-dioxide, 134, 179, 215, 474, 660
Metolachlor, 32, 103, 215, 248, 315, 463, 623, 677
Metribuzin, 32, 128, 315, 406, 454, 575, 610, 660, 684
Metsulfuron, 595
MEUAL, 569
MLAQU, 720, 726, 744
Mode of action, 527
Model, 78
Modeling, 53
Moldboard plowed, 223
Molinate, 69, 537
MON 12000, 151, 575
MON 12037, 248
MON 13900, 248
MON 37500, 421, 610, 690
MONOD, 720
Morphology, 491
Morrenia odorata (Hook. and Arn.) Lindl., 720
Mustard, 97, 690

NAF-75, 315
Napiergrass, 720
Native plants, 381
Natural systems, 733
Negative binomial, 7
Net economic gain, 88
New plant introductions, 744
Nicosulfuron, 41, 74, 108, 115, 121, 151, 575, 585, 623, 631
Nicotiana tabacum L., 652
28% nitrogen, 585
Nitrogen effect on weeds, 230
Nitrogen uptake, 507
N-2(2-carboxymethyl-6-chlorophenyl)-5-ethoxy-7-fluoro(1,2,4)traizolo-(1,5c)-pyrimidine-2-sulfonamide, 315
N-[2,4-dichloro-5[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1*H*-1,2,4-triazol-1-yl]phenyl]methanesulfonamide, 684
N′-(3,4-dichlorophenyl)-*N,N*-dimethylurea, 707
N-(2,6-difluorophenyl)-5-methyl[1,2,4]triazolo[1,5-*a*]pyrimidine-2-sulfonamide, 248
N-(3,4-dichlorophenyl)propanamide, 69, 537
N-[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide, 108, 115, 258, 406, 458, 474, 575
N-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]sulfonyl]-carbonyl]-3-(ethylsulfonyl)-2-pyridinesulfonamide, 41
N-[3-(1-ethyl-1-methylpropyl)-5-isoxazolyl]-2,6-dimethoxybenzamide, 542, 569
N-(1-ethylpropyl)-3,4-dimethyl-2,6-dinitrobenzenamine, 47, 69, 103, 128, 215, 235, 315, 454, 537, 575, 677
N-(phosphonomethyl)glycine, 23, 32, 108, 134, 157, 286, 300, 308, 337, 367, 381, 391, 402, 504, 522, 527, 617, 623, 638, 652, 660, 699, 737
N,N-dimethyl-*N′*-[3-(trifluromethyl)phenyl] urea, 19
N,N′-bis(1-methylethyl)-6-(methylthio)-1,3,5-triazine-2,4-diamine, 19
Nodding broomrape, 652
No-till, 223, 646
Nonionic surfactants, 585, 617
Noxious rangeland weeds, 353
Noxious weed, 363, 367, 397, 699
Noxious weed control, 402

Old World bluestem, 286
Optoelectronic, 308
ORAAE, 108, 115
ORACE, 652
Organosilicone surfactant, 441
Orobanche aetyptiaca Pers., 108, 115
Orobanche cernua Loefl. var. *cernua*, 652
ORYRU, 720
ORYSA, 103, 209, 463, 504, 677, 720
Oryza sativa Griff., 720
Oryza sativa L., 103, 209, 463, 504, 677, 720
Oryza sativa L. 'Bengal,' 254
Oryza sativa L. 'Cypress,' 254, 537
Oryza sativa L. 'Gulfmont' and 'Koshihikari,' 209
Oryza sativa L. 'Jodon,' 254
Oryza sativa L. 'Kaybonnet,' 254
Oryzalin, 1
Osmotic potential, 515
Oxadiazon, 1, 542, 569
3-oxetanyl ester, 137, 293
Oxyfluorfen, 1, 14, 157

Palmer amaranth, 315
PANCA, 638
PANDI, 522
PANDI Michx., 151
Panicum dichotomiflorum, 151
Panicum maximum Jacq., 720
Panicum miliaceum L., 262
Panicum repens L., 720
Panicum virgatum L. 'Trailblazer,' 381
PANMA, 720
PANMI, 243
PANPU, 720
PANRE, 720
PANVI, 381
Paragrass, 720
Paraquat, 157, 391
Parasitic weeds, 108, 652
Parthenium hysterophorus L., 720
Pascopyrum smithii Rydb. 'Rodan,' 367
PASNO, 720, 737
Paspalum notatum Fluegge, 720, 737
Pasture weeds, 733
Patch, 7
Pea, 64, 690
Pea yield, 64
Pendimethalin, 1, 47, 69, 103, 128, 215, 235, 315, 454, 537, 575, 623, 677
Pennisetum purpureum Schumach., 720
Peppermint, 322
Perennial grasses, 602
Perennial pepperweed, 402
Perennial ryegrass, 436
Perennial weed control, 602
Perennial weeds, 128, 631, 699
Persistence, 281
PESPU, 720
Pest invaders, 744
Pesticide regulation, 215
pH, 515, 690
Phaseolus vulgaris L. 'Bill Z.,' 548

Phaseolus vulgaris L. 'Great Northern,' 548
Phaseolus vulgaris L. 'Labrador,' 215
Phaseolus vulgaris L. 'Marquis,' 548
Phaseolus vulgaris L. 'Montcalm Red,' 174
Phenology, 590
Phosphate esters, 441
Phreatophyte, 326, 337
Phreatophyte control, 345
Phyllanthus urinaria L., 720
Picloram, 353, 363, 367, 602
Pinto bean, 548
Pisum sativa L. 'Carneval,' 64
Pisum sativa L. 'Columbia,' 'Dual,' 690
Pitted morningglory, 157, 441
Pixel classification, 446
PLALA, 542, 569
Plant competition, 391
Plant development, 478
Plant height reduction, 258
Plantago lanceolata L., 542, 569
Poa annua L., 436
Poa pratensis L., 436
Poa trivialis L., 1
POATR 'Laser', 1
POLCO, 406, 531, 638, 670
POLPY, 522
Polygonum convolvulus L., 406, 670
Populus fremontii S. Wats., 345
Postemergence, 137, 258, 458
Postemergence herbicides, 151
Postemergence weed control, 134
Potato, 406, 712
Poundcakeweed, 720
Precipitation, 690
Precision agriculture, 7
Prediction accuracy, 88
Preemergence herbicides, 542, 569
Preplant herbicides, 684
Preplant incorporated, 458
Prescribed fire, 381
Prickly sida, 235
Primisulfuron, 74, 108, 115, 575, 631
Proboscidea louisianica (Mill.) Thellung, 19
Prodiamine, 1
PROLO, 19
Prometryn, 19
Propanil, 69, 537
2-propynyl(*R*)-2-(4-(5-chloro-3-fluoro-2-pyridinyloxy)-phenoxy)-propionate, 610
Proso millet, 262
Psathyrostachys juncea (Fisch.) Nevski 'Bozoisky,' 363, 374, 391
Pseudocercospora nigricans (Cooke) Deighton, 37
PTNHY, 720
Pubescent wheatgrass, 367, 374, 391
PUELO, 744
Purple loosestrife, 397
Purple nutsedge, 230, 275, 491
Pyrithiobac, 19, 185, 575

Quercus hemisphaerica Bartr., 720
Quinclorac, 69, 537, 602
Quizalofop, 137, 293, 610
Quizalofop-P, 205, 554, 677

R-25788, 623
Rainfall simulator, 617
Rangeland, 602
Rangeland weed control, 391
Rapeseed, 97
(*R*)-2-[4-[(6-chloro-2-benzoxazolyl)oxy] phenoxy]propanoic acid, 554, 610
(*R*)-2-[4-[(6-chloro-2-quinoxalinyl)oxy] phenoxy]propanoic acid, 205, 554, 677
RCHSC, 235
Red rice, 103, 209, 504, 677
Redroot pigweed, 64, 97, 137, 145, 151, 166, 215, 235, 243, 293, 315, 406, 638, 670
Redstem filaree, 64, 590
Residual activity, 542
Residues, 281
Resistance, 474
Rice, 209, 254, 537, 720
Richardia scabra L., 235
Ridge-till, 646
Rimsulfuron, 41, 108, 115, 258, 406, 458, 474, 575
Rio Grande, 345
Riparian, 402
Riparian ecosystem, 326
Riparian restoration, 345
ROOEX, 720
Rotary hoe, 174, 548
Rotation, 262
Rottboellia cochinchinensis (Lour.) W. D. Clayton, 720
Roughstalk bluegrass, 1
Roundup Ready® beans, 527
Row cultivation, 174
Row spacing, 137
Row width, 660
RPA 201772, 670
(*R*)-2-[4-[[5-(trifluoromethyl)-2-pyridinyl]oxy]phenoxy]propanoic acid, 205, 268, 463, 554, 610
RUMCR, 23
Rumex crispus L., 23
Russian knapweed, 363
Russian thistle, 531
Russian wildrye, 363, 374, 391
Rye, 660

Sabal palmetto (Walt.) Lodd. ex Schult. and Schult., 720
Saccharum officinarum L., 720
SACOF, 128, 454, 720
Saline/alkaline soils, 402
Salix nigra Marsh., 345
Salsola iberica Sennen and Pau, 531
Saltcedar, 326, 337, 345
Sampling, 7
SAN 582, 23, 103, 268, 315
SAN 582H, 463, 677
SASKR, 531
SAXNI, 345
Schinus terebinthifolius Raddi, 720
S-[(4-chlorophenyl)methyl]diethyl carbamothioate, 69, 537
SCITE, 720, 744
Sclerotinia sclerotiorum (Lib.) deBary, 174
SEBEX, 157, 166
Secale cereale L., 660
Secale spp., 478
Seed production, 47
Seed survival, 262
Seed yield, 590
Seedbank depletion, 262
Seedhead suppression, 103
Seedling emergence, 478
Selective applicator, 308
Senecio vulgaris L., 322
SENJA, 744
Senna obtusifolia (L.) Irwin and Barnaby, 37, 157, 166
SENVU, 322
Sequential applications, 205
Sesbania exaltata (Raf.) ex A. W. Hill, 157
Sesbania exaltata (Raf.) Rydb. ex A. W. Hill, 166
SET, 235
Setaria faberi, 268, 684
Setaria faberi Herrm., 268, 293, 522, 684
Setaria faberi L., 32, 248
Setaria glauca (L.) Beauv., 243, 531, 670
Setaria glauca (L.) P. Beauv., 585
Setaria spp., 7, 235
Setaria viridis, 268
Setaria viridis (L.) Beauv., 64, 97, 223, 235, 243, 268, 507, 531, 638, 660
SETFA, 32, 248, 268, 293, 522, 684
SETGL, 670
Sethoxydim, 268, 463, 527, 554, 610, 677
S-ethyl dipropyl carbamothioate, 215, 623, 652
S-ethyl hexahydro-1*H*-azepine-1-carbothioate, 69, 537
SETLU, 243, 531, 585
SETVI, 64, 97, 223, 235, 243, 268, 507, 531, 638, 660
Shattercane, 74
Shepherd's-purse, 97
Shikimate, 527
Siam weed, 27
Sicklepod, 37, 157, 166
Sida spinosa L., 235, 308
SIDSP, 235, 308
Silicone surfactant, 441, 617
Sinapis alba L. 'Idagold,' 690
Sinapis arvensis L., 670
SINAR, 531, 670
Slender wheatgrass, 367
Smellmelon, 19
Smooth brome, 367
Smooth pigweed, 575
Snap bean, 215
Sodium bicarbonate, 585
Sodium chlorate, 157
Sodium salt of 2-chloro-6-[(4,6-dimethoxy-2-pyrimidinyl)thio]benzoic acid, 19
Soil moisture, 463
Soil residues, 690
Solanum jamaicense P. Mill., 720
Solanum nigrum L., 458
Solanum ptycanthum Dun, 151, 293
Solanum tampicense Dunal, 720
Solanum tuberosum L., 712

Solanum tuberosum L. 'Russet Burbank,' 406
Solanum viarum Dunal, 720, 733
SOLNI, 458
SOLPT, 151, 293
SOLSA, 243
SOLVI, 733
Sonchus oleraceus L., 531
SONOL, 531
Sorghastrum nutans (L.) Nash 'Holt,' 381
Sorghum bicolor (L.) Moench, 74, 646
Sorghum bicolor (L.) Moench 'DK58,' 690
Sorghum bioassay, 690
Sorghum halepense, 268, 308, 463
Sorghum halepense (L.) Pers., 23, 121, 128, 205, 268
SORHA, 23, 121, 128, 205, 268, 293, 308, 463, 617, 623
SORVU, 74
Southern sandbur, 707
Soybean, 7, 23, 32, 37, 78, 88, 97, 103, 137, 157, 166, 179, 235, 248, 268, 293, 308, 315, 441, 504, 515, 527, 575, 617, 623, 660, 677, 684, 699
Soybean grade, 166
Species richness, 243
Spectral reflectance, 308
Spot spraying, 308
Spotted knapweed, 353
Spotted spurge, 157, 542
Spray volume, 157
Spring wheat, 507
Spurgia esulae, 367
Stachys floridana Shuttlew., 720
STAFL, 720
St. Augustinegrass, 720
Stenotaphrum secundatum (Walt.) Kuntze, 720
STPSE, 720
Strangler vine, 720
Streambank wheatgrass, 391
Succession, 53
Sugarcane, 128, 454, 720
Sulfentrazone, 315, 684
Sulfometuron, 128, 381, 454
Sulfonylurea, 258
Sulfonylurea herbicide(s), 421, 575
Sunflower, 531
Sun-It II, 64
Surfactant, 300
Survey, 243
Susceptibility, 14
Sustainable agriculture, 712
Sustainable crop production, 174
Sustainable weed management, 353
Sweet corn, 258
Switchgrass, 381
Synergism, 23

TAAAP, 326, 744
TAACH, 326
TAAGA, 326
TAAPA, 326
TAARA, 326, 337, 345
Tall fescue, 436
Tamarix, 326
Tamarix aphylla, 326
Tamarix chinensis, 326
Tamarix gallica, 326
Tamarix parviflora, 326
Tamarix ramosissima, 326, 337
Tamarix ramosissima Ledeb., 337, 345
Tank mixture, 293
Taraxacum officinale Weber, 720
Taraxacum officinale Weber in Wiggers, 569
TAROF, 531, 569, 720
Tebuthiuron, 726
Temperature, 515
Terbacil, 322
Thermal time, 515
Thermal weed control, 470
Thiazopyr, 128
Thickspike wheatgrass, 391
Thifensulfuron, 108, 179, 293, 315, 474, 575, 595
Thinopyrum intermedium (Host) Barkworth and D. R. Dewey 'Luna,' 374
Thinopyrum intermedium (Host. Barkworth and Dewey) Nevski 'Luna,' 391
Thiobencarb, 69, 537
Tillage, 507, 631
Tissue damage, 300
Tobacco, 652
Tomato, 108, 115
Torpedograss, 720
Transformed rice, 209
Transgenic soybean, 504
Translocation, 300, 699
TRBCI, 720
Triasulfuron, 108, 115, 690
Tribenuron, 115
Tribulus cistoides L., 720
[(3,5,6-trichloro-2-pyridinyl)oxy]acetic acid, 254
Triclopyr, 254, 337, 726
Trifluralin, 1, 103, 215, 315, 575, 677
trinexapacethyl {4-(cyclopropyl-α-hydroxymethylene)-3,5-dioxocyclohexanecarboxylic acid ethyl ester}, 436
Triticum aestivum L., 223, 262, 286, 522, 531, 638
Triticum aestivum L. 'Hill,' 'Madsen,' 'Rod,' 'Stephens,' 690
Triticum aestivum L. 'Katepwa,' 64, 610
Triticum aestivum L. 'Makwa,' 507
Triticum aestivum L. 'Norstar,' 'Readymade,' 421
Triticum aestivum L. 'TAM 107,' 478
Triticum vulgare L. 'Virgina,' 484
Triticum vulgare L. 'Yekora,' 484
Tropical soda apple, 720, 733
Tumble pigweed, 145, 315

UAN, 585
UOUJA, 720
Upland laurel oak, 720
Uptake, 300
URAN, 441
Urea, 585
User interface, 53

V-10029 {sodium 2,6-bix[(4,6-dimethoxypyrimidin-2-yl)oxy]benzoate}, 436
Varieties, 474
Vegetable weed management, 230
Velvetleaf, 47, 97, 137, 235, 293, 300, 441, 670, 684
VEROF, 569
Veronica officinalis L., 569

Warm-season grasses, 381, 602
Waterhyacinth, 720
Watershield protection, 470
Weed association, 531
Weed control, 27, 374
Weed distribution, 53
Weed dynamics, 363
Weed interference, 230
Weed management, 69, 537
Weed suppression, 275
Weed-crop competition, 707
Weediness characteristics, 744
West Indian chickweed, 720
Western wheatgrass, 367
Wetland nightshade, 720
Wetlands, 402
Wheat, 64, 223, 484, 531, 610
Wheat production, 484
Wheat stubble management, 522
Wheat yield, 421
White mold, 174
White mustard, 97
White sweet clover, 569
Wild buckwheat, 406, 670
Wild mustard, 670
Wild oat, 64, 507
Wild red rice, 720
Wildlife, 345
Winter rape, 712
Winter wheat, 262, 421, 478, 522, 638, 690

XANST, 32, 157, 166, 684
Xanthium strumarium L., 32, 157, 166, 684

Yellow foxtail, 243, 531, 585, 670
Yellow nutsedge, 293, 684
Yellow rocket, 542
Yield, 610, 690
Yield reduction, 258
Youngia japonica (L.) DC., 720

Zea mays L., 7, 41, 74, 121, 145, 243, 248, 258, 262, 446, 474, 522, 527, 631, 670, 699
Zea mays L. 'Alexandros,' 145
Zea mays L. 'Ares,' 145
Zea mays L. 'Athina,' 145
Zea mays L. 'DPL G4673B and DPL G4666,' 623
Zea mays (L.) Merr. 'Pioneer 3573,' 47
Zea mays L. 'Pioneer 3245IR,' 151
Zea mays L. var. 'Pioneer 3744,' 281
ZEAMX, 293, 631